

The Pig with a Hernia







Check:

- Size of the hernia (handball or tennis ball)
- → Does the hernia touch the pig's leg?
- **⇒** Is there a wound on the hernia?



Feel:

- Can you feel a wound on the hernia?
- Does the hernia feel warm/swollen?

WHAT NEEDS TO BE DONE

Keep the pig in the pen if:

The pig is doing well
The hernia is less than 15 cm (finishers)
The hernia is less than 5 cm (30-kg pigs)
There is no wound or warmth

In the pen for sick pigs if:

Large hernia Wound or warmth




Cull:

Doing poorly
Doesn't walk normally
Large wound that cannot heal





The Pig with a Bitten Tail





- Does the pig hide its tail?
- → How big is the wound?
- ⇒ Is the tail red and/or swollen?



- Is the tail sore?
- Is the tail warm/swollen?

WHAT NEEDS TO BE DONE

Keep the pig in the pen if:

The pig is doing well The wounds are small and superficial The tail is not infected

In the pen for sick pigs if:

Deep bite on the tail Inflammation (warm, soreness, swelling) Dead, blackened tissue



Cull:

Doing poorly No chance for improvement





The Lame Pig





Check:

- Visible injuries to legs/hoofs?
- → Is the leg swollen?
- Are there wounds around the joints?



Watch the pig as it moves:

- Is the pig walking normally?
- Is the pig walking on 3 or 4 legs?

WHAT NEEDS TO BE DONE

Keep the pig in the pen if:

The pig is doing well
It can eat and drink
It is not bullied by other pigs

In the pen for sick pigs if:

It cannot do well in the ordinary pen



Cull:

A leg is broken
There are wounds around
swollen joints
Joint(s) swollen for extended
period of time

